



EDITION  
**2026**  
**2027**

[sintoexpert.com](http://sintoexpert.com)





# LUBRICATION EXPERT

Our team of Lubrication Experts have one goal: efficient customer service, on-site, by professionals.

Our team has extensive training on the latest technologies, as well as multiple years of experience and are backed by a team of chemists and engineers. We are proud to offer free on-site support to our customers when and where they need it - we are 100% committed to customer satisfaction.

**IMPROVE OUR  
CUSTOMERS  
EFFICIENCY**



# HISTORY

---

Since 1991, SINTO has designed and distributed high performance lubrication products maximizing performance, protection and durability of mechanical equipment and vehicles.

SINTO is proud to serve the markets of heavy machinery, automotive, recreational vehicles and industrial equipment with wide range of lubricants, greases, antifrictions, motor oils, OHRV oils, degreasers, cleaners and rustproofing products.

**GEARED  
FOR  
PERFORMANCE**

F  
O  
R

**35  
YEARS**







# TABLE OF CONTENTS

Lubricants and Penetrants .....	8-11
Greases .....	12-19
Fuel Treatments .....	20-23
Industrial and Heavy Machinery Oils .....	24-36
Gear Oils .....	24-27
Hydraulic Oils.....	28-31
Specialty Oils .....	32-35
Diesel Engine Oils .....	36
Passenger Car Engine Oils .....	37
2-Stroke Oils .....	38-39
4-Stroke Oils .....	40-43
Oil Treatments .....	44-47
Rustproofing.....	48-51
Cleaners and Degreasers .....	52-54

# LUBRICANTS PENETRANTS

8



## MAXEP

### MULTIPURPOSE PENETRANT-LUBRICANT

Sinto's star product offers high performance in multiple applications. Frost resistance up to  $-70^{\circ}\text{C}$ . Dielectric strength 15,000 volts.

- Transparent and non-staining
- Does not attract dust
- Loosens rusted parts
- Displaces moisture
- Facilitates drilling and tapping operations
- Superior protection against wear and extreme pressure

SIZES	140 g	340g	500 ml	20 L
#PRODUCT	MA140	MA340	MA500	MA20




# SINLUB

TACKY CLEAR GEL LUBRICANT

**SINTO'S SINLUB** penetrates in depth like a liquid while lubricating and sticking to surfaces like grease. It resists to water washout and prevents rust and corrosion while ensuring a durable lubrication.

- Quickly turns into gel form
- Long lasting lubricant
- Resists water washout
- Fully transparent

SIZE	375 g	
#PRODUCT	SLUB375	



# ○ ○ LUBRICANTS / PENETRANTS

10



## MOLYTAK

LUBRICANT GREASE FOR FIFTH WHEELS AND OPEN GEARS

Molytak is a high-grade grease engineered to reduce wear and friction. It delivers long-lasting protection under extreme temperatures and high-pressure conditions, while providing excellent resistance to water washout.

- Excellent resistance to heavy loads
- Excellent thermal stability
- Reduces maintenance costs
- Exceptional resistance to water
- 360° spray

SIZE	400 g	
#PRODUCT	MTAK400	



## MOLY+

CHAINS AND CABLES LUBRICANT

Molybdenum concentrate available in a convenient spray format. This high-performance lubricant penetrates even the dustiest environments and provides excellent water resistance thanks to its exceptional penetrating and capillary action.

- Protects against corrosion
- Reduces chain vibration
- Prevents wear
- Long-lasting lubrication
- Odorless

SIZES	425g	500 ml	20 L	
#PRODUCT	MOLY425	MOLY500	MOLY20	




## KRAKEN

POWERFUL  
LOOSE NUT

KRAKEN is a fast-acting, penetrant formula that deeply creeps into rust and corrosion and loosens seized bolts and parts in all industrial, agricultural, marine, heavy duty, automotive and home applications.

- Quickly loosens rusted or dirty bolts, nuts and fittings
- Penetrates and disperses rust and deposits

SIZE	325 g	
#PRODUCT	KRAK325	



## PENLUB

ANTIFRICTION LUBRICANT

PenLub's unique formulation is ideal for cleaning, lubricating, penetrating, and protecting metal surfaces. PenLub penetrates deep into metal pores, dissolves rust, removes grease and dirt, and displaces moisture.

- Repels water and moisture
- Dielectric
- Odorless rust protection
- 1L size available in food grade

SIZES	350 g	1 L
PEN-LUB	PLUB350	PLUB1
FOOD GRADE PEN-LUB FG-H1	N/D	PLUBFG1L



# GREASES

## INDUSTRIAL AND MOBILE EQUIPMENT



### RG

#### INDUSTRIAL AND MOBILE EQUIPMENT PERFORMANCE GREASE

RG2 – RG1 – RG0 greases are designed to lubricate pins, bushings, open gears, heavy equipment, fifth wheels as well as any other application requiring a shock and load resistant grease combined with excellent pumpability.

- Exceptional resistance to water and contaminants
- Excellent thermal stability
- Superior protection against rust and corrosion

SIZES	TUBE	17 KG	55 KG	180 KG
RG0	RG0T	RG017	RG055	RG0180
RG1	RG1T	RG117	RG155	RG1180
RG2	RG2T	RG217	RG255	RG2180

# PREMIUM

INDUSTRIAL AND MOBILE EQUIPMENT  
PERFORMANCE GREASE

RG Premium grease delivers superior protection in high-load and high-impact applications. Thanks to its exceptional mechanical stability, it adheres firmly and won't drip.

- Exceptional extreme pressure (EP) performance and wear protection
- Does not drip at high temperature
- Unique resistance to water and contaminants
- Reduces friction and wear
- Reduces maintenance costs and grease consumption

SIZES	TUBE	17 KG	55 KG	180 KG
PREMIUM2	RGP2T	RGP217	RGP255	RGP2180
PREMIUM1	RGP1T	RGP117	RGP155	RGP1180



# GREASES

14



## TOP 5

IMPACT GREASE

- Ultra-tacky, high-adhesion formulation
- Calcium sulfonate complex
- Excellent resistance to very heavy loads, shocks, and impacts
- Reduces friction and wear
- Superior mechanical stability
- Enhanced protection against rust and corrosion
- Outstanding resistance to water and contaminants

SIZES	TUBE	17 KG	55 KG	180 KG
#PRODUCT	TOP5T	TOP517	TOP555	TOP5180



## MOLY / MOLY 5%

MOBILE AND INDUSTRIAL EQUIPMENT

These high-molybdenum greases are formulated to significantly reduce friction and wear, even under severe operating conditions. Their high-adhesion formula allows them to cling firmly to metal surfaces, providing outstanding resistance to heavy loads, shock, extreme pressure, and washout.

- Significantly reduce friction and wear
- Help lower maintenance costs and grease consumption
- Exceptional resistance to water and contaminants
- Excellent load-carrying capacity
- Superior resistance to shock and impact

SIZES	TUBE	17 KG	55 KG	180 KG
MOLY1	MEP1T	MEP117	MEP155	MEP1180
MOLY2	MEP2T	MEP217	MEP255	MEP2180

SIZES	TUBE	17 KG	55 KG	180 KG
MOLY5%0	M5G0T	M5G017	M5G055	M5G0180
MOLY5%1	M5G1T	M5G117	M5G155	M5G1180
MOLY5%2	M5G2T	M5G217	M5G255	M5G2180

# SYN100%

MULTIPURPOSE SYNTHETIC GREASE (GC/LB)

Highly versatile, the SYN 100% is ideal for the lubrication of different kinds of bearing operation at variable rotational speed going up to 10 000 RPM, as well as for mobile or stationary equipments, manually lubricated or equipped with an automated greasing system requiring an excellent pumpability in cold weather.

- PAO based 100% synthetic grease
- All seasons (replaces grades 2-1-0)
- Exceptional weight resistance (620 kg)
- Rust and corrosion protection
- Automatic greasing system
- Up to 10,000 RPM
- For mobile or stationary equipment

SIZES	TUBE	17 KG	55 KG	180 KG
#PRODUCT	SYN100T	SYN10017	SYN10055	SYN100180



# S350

SUPERIOR MULTI-PURPOSE GREASE

- High-performance calcium sulfonate grease
- Excellent mechanical stability
- High load-carrying capacity
- Very pale color, making it easier to identify issues
- Resistant to water and saltwater
- Resistant to corrosion and oxidation
- Contains no heavy metals
- Ideal for bearing applications

SIZES	TUBE	17 KG	55 KG	180 KG
S350-0	S3500T	S350017	S350055	S3500180
S350-2	S3502T	S350217	S350255	S3502180

# GREASES

16

**NEW**



## DIAMOND

SYNTHETIC PAO INDUSTRIAL GREASE



SINTO'S DIAMOND SERIES greases are advanced products designed for a wide variety of medium to heavy duty applications operating at extremes of temperature.

- PAO based 100% synthetic grease
- Exceptional load-carrying capacity
- Exceptional extreme pressure (EP)
- Performance and wear protection
- Waterproof
- Excellent thermal and oxidation stability
- NSF® certified under the H1grease category

SIZES	TUBE	17 KG	55 KG	180 KG
DIAMOND50	DIA50T	DIA5017	DIA5055	DIA50180
DIAMOND200	DIA200T	DIA20017	DIA20055	DIA200180
DIAMOND400	DIA400T	DIA40017	DIA40055	DIA400180

## SINEP2

MULTIPURPOSE GREASE WITH ANTIFRICTION (GC/LB)

The SINEP2 is a high quality versatile grease specially designed for lubrication of high speed bearing. It helps to significantly reduce friction and wear in the most severe conditions of heat and humidity.

- Exceptional performance at high temperature and speed
- Reduces operating temperature
- Authorized for use in food processing industries
- Excellent thermal stability

SIZES	TUBE	17 KG	55 KG	180 KG
#PRODUCT	SINT	SIN17	SIN55	SIN180



## SIN250

GREASE FOR LOW TEMPERATURE,  
HIGH SPEED AUTOMATIC APPLICATIONS

The SIN250 grease has been developed to lubricate high-speed bearings up to 10,000 RPM. Ideal for automated greasing systems or systems connected on a long tubing network. Offer excellent mobility characteristics in very cold temperatures.

- Reduces grease consumption
- Considerably reduces wear and friction
- Not harmful to the environment
- Superior resistance to rust and corrosion

SIZES	TUBE	17 KG	55 KG	180 KG
SIN250-1	S2501T	S250117	S250155	S250180S
SIN250-2	S2502T	S250217	S250255	S250280S

# GREASES

18

**NEW**

## IMPAK-THOR

HYDRAULIC HAMMER  
GREASE

High-performance, ultra-adhesive grease specifically designed for hydraulic hammers and rock breakers.

- Highly adhesive
- Superior protection against impacts and vibrations
- Does not drip
- Contains 30% active solid additives
- Exceptional resistance to water and contaminants



SIZES	TUBE 430G	SCREW-ON TUBE 450G	17 KG	55 KG	180 KG
# PRODUCT	THORT	THORCV	THOR17	THOR55	THOR55

## HT2

HIGH TEMPERATURE  
GREASE

The HT2 grease provides an exceptional thermal stability that surpasses other conventional greases making it an ideal lubricant for use in high loads and high temperature applications. It also offers exceptional rust protection and water washout resistance.

- High viscosity grease
- Reduces maintenance costs
- Contributes to reduce energy consumption
- Superior mechanical stability
- Excellent resistance to rust and oxidation



SIZES	TUBE	17 KG	55 KG	180 KG
# PRODUCT	HT2T	HT217	HT255	HT2180



## ROD-DEFENDER XP

SPECIAL GREASE FOR DRILL RODS

Its unique barium-complex formula ensures effective lubrication of rods as they pass through rock strata, minimizing vibration and torque on the drill head.

- Reduces heat buildup and drill rod wear
- Increases efficiency at the drill head
- Highly tacky – adheres even to wet surfaces
- Superior resistance to rust and corrosion
- Exceptional resistance to water and contaminants

SIZES	17 KG	55 KG	180 KG
# PRODUCT	RD17	RD55	RD180



## GA70

FOOD GRADE GREASE

This high-grade grease is specially developed for lubricating machinery and equipment in food processing industries. It considerably reduces wear and friction of metal parts and has an exceptional resistance to water washout.

- NSF® certified under the H1 grease category
- Contributes to reduce energy consumption
- Excellent thermal stability

SIZES	TUBE	17 KG	55 KG	180 KG
# PRODUCT	GA70T	GA7017	GA7055	GA70180



## ALIMEX-1

FOOD GRADE GREASE

Specially developed for the lubrication of machinery and equipment in the food processing industry.

- NSF® certified, H1 category
- Superior mechanical stability
- Superior protection against rust and corrosion
- Will not dry out or harden during operation
- Recommended for bearing with rotational speed ≤ 3600 RPM

SIZES	TUBE	17 KG	55 KG	180 KG
# PRODUCT	ALIT	ALI17	ALI55	ALI180



## BG20

### FIFTH WHEEL AND WIRE ROPE GREASE

Unique lithium-calcium thickener formula with a high concentration of molybdenum disulfide ensures effective lubrication under severe conditions involving sliding, vibration, heavy loads, and shocks. An ideal choice for high load applications involving slow rotational speeds or nearly static operation.

- Reduces grease consumption
- Significantly reduces friction and wear
- Outstanding resistance to rust and corrosion
- Exceptional resistance to water and contaminants

SIZES	17 KG	55 KG	180 KG
# PRODUCT	BG2017	BG2055	BG20180

# FUEL TREATMENT

20



POWERFUL INJECTOR CLEANER

## NTX DIESEL

Diesel NTX is a powerful injector cleaner that efficiently cleans deposits on diesel fuel injectors in a single treatment. It uses SINTO's TOTALCLEAN technology, the only product able to remove internal and external injector deposits.

- Restores 100% of the power in 1 treatment
- Remove 100% of injector deposits

SIZE	946 ml
# PRODUCT	NTXD1

THE MOST COMPLETE MULTIPURPOSE  
FUEL TREATMENT

## CETANE BOOSTER

SINTO Cetane Booster is a multipurpose fuel conditioner that links our TotalClean technology cleaning power to improvement of the fuel ignition efficiency obtained by our Cetane Booster additive.

- 10% cetane increase
- Lubricates
- Deep cleaning
- Restores power
- Control of water emulsion
- Prevents freezing

SIZES	946 ml	20 L	205 L
# PRODUCT	CE1	CE20	CE205



# ○ ○ FUEL TREATMENT

22

MULTIPURPOSE  
FUEL TREATMENT



## TOTAL TREATMENT

A fuel treatment can significantly enhance diesel performance. When used regularly, Total Treatment delivers long-term value by reducing fuel consumption and maintenance costs.

- Lubricates
- Deep cleaning
- Restores power
- Control of water emulsion
- Prevents freezing

SIZES	946 ml	20 L	205 L
# PRODUCT	TT1	TT20	TT205

FUEL TREATMENT



## DB400

Formulated to prevent freezing and emulsifying water, this cost-effective product also ensures effective cleaning and enhances the lubricating properties of diesel fuel.

- Prevents freezing
- Disperse completely water
- Dissolves gums and varnishes
- Lubricate

SIZES	946 ml	20 L	205 L
# PRODUCT	DB1	DB20	DB205

FUEL TREATMENT



## OCTANE 130

SINTO'S Octane 130 restores engine power, prevents engine pinging and knocking, keeps fuel supply system clean, and prevents clogging in combustion chambers therefore enhancing fuel economy.

- Provides easier cold start-up
- Reduces hesitation problems
- Prevents freezing
- Prevents engine pinging and knocking
- Keeps fuel supply system clean

SIZES	60 ml	350 ml
# PRODUCT	OC65	OC350

POWERFUL INJECTOR CLEANER



## NTX ESSENCE

NTX is a powerful treatment that removes deposits that clog injectors, intake valves and cleans the entire fuel system in one step. It also dissolves carbon deposits, gums and varnishes.

- Restores engine power
- Reduces exhaust emissions
- Lubricates the injectors and improves their effectiveness
- Can help fix general engine problems

SIZE	350 ml
# PRODUCT	NTX350

# INDUSTRIAL AND HEAVY MACHINERY OILS



## ISO-220

FULL SYNTHETIC EP GEAR OIL

Full synthetic extreme pressure (EP) industrial gear oil designed for extended protection of industrial enclosed gear drives, reducers and heavily loaded plain and roller element bearings.

- Superior thermal and oxidation stability
- Wide operating temperature range
- Extends oil change intervals

SIZES	20 L	205 L
# PRODUCT	ISO220S18.9	ISO220S205

## QUADRASHIELD MP

SPECIAL HIGH-PERFORMANCE LUBRICANTS  
WITH QUADRUPLE PROTECTION

Formulated with Meta-Polyalphaolefin, these oils outperform all conventional fully synthetic lubricants on the market (SHC, PAO). Their base oil and unique *Sintotek* additive package, based on cutting-edge technology, make them a family of high-performance and versatile lubricants. They provide quadruple protection: outstanding resistance to wear and corrosion, unmatched extreme-pressure properties, and exceptional oxidation resistance under extreme temperature conditions. These high-performance oils deliver unrivaled service life and substantial energy savings.

- Ideal for industrial gear reducers combining gears and bearings
- Exceptional thermal and oxidative stability
- Extreme-pressure protection without affecting yellow metals
- Very high viscosity index
- Outstanding oil life



SIZES	18.9 L	205 L
QUADRASHIELD MP150	QUAD15018.9	QUAD150205
QUADRASHIELD MP220	QUAD22018.9	QUAD220205
QUADRASHIELD MP320	QUAD32018.9	QUAD320205
QUADRASHIELD MP460	QUAD46018.9	QUAD460205



**NEW**



## SINTOTEK OGL 3K/10K

VERY HIGH VISCOSITY EXTREME-PRESSURE LUBRICANTS FOR OPEN GEAR SYSTEMS

The SINTOTEK OGL range is ideal for large open gears found in mining crusher applications (Ball Mills), rotary kilns, dryers, coolers, and debarkers drum.

- 100% synthetic and highly adhesive/tacky
- Very viscous lubricants, transparent upon application
- Unmatched anti-wear and extreme-pressure protection
- Free of solids, hazardous or toxic solvents
- Allows continuous inspections (transparent)
- Excellent pumpability

SIZES	55 L	205 L
OGL 3K	OGL3K55	OGL3K205
OGL 10K	OGL10K55	OGL10K205

## ENDURADRIIVE EP150

HIGH-PERFORMANCE MINERAL OIL

Developed from premium-quality mineral base oils and enhanced with the exclusive *SludgeGuard additive*, it provides outstanding protection against wear, heavy loads, micro-vibrations / oscillations and offers increased resistance to varnish and deposit formation.

- Exceptional thermal and oxidation stability
- Detergent and dispersant properties (with *SludgeGuard*)
- Resistant to shear and corrosion
- Withstands extreme load and temperature conditions
- Enhances energy efficiency (special/synthetic polymers)
- Good foam resistance
- Reduces sludge, varnish, and carbon deposit formation

SIZES	18.9L	205L
# PRODUCT	ENDRIVE18.9	ENDRIVE205





## SYNTOP 80W90

HEAVY-DUTY SYNTHETIC GEAR OIL

Specifically formulated for heavy mobile and industrial equipment, its superior thermal durability protects gears from wear and fatigue at high temperature when equipment is used under severe operating conditions. Provides long-lasting wear protection, reduce downtime and maintenance costs.

- High durability
- Prevents seals from leaking
- Controls foaming
- Excellent rust and corrosion protection
- With Hydroproteck

SIZES	1L	18.9L	205L
# PRODUCT	ST80901	ST809018.9	ST8090205



## GEARBOX XT 75W90 / 75W140

FULL SYNTHETIC GL-5 GEAR OIL

100% synthetic, highly versatile gear oil designed to deliver year-round performance in passenger vehicles, light, medium and heavy-duty trucks, as well as agricultural, forestry, mining, and construction equipment. Recommended for applications requiring SAE 75W-90 or 75W-140 gear oil.

- Exceptional durability
- Protects against rust and oxidation
- Wide operating temperature range
- Excellent cold-weather performance
- Resists heat under severe service conditions
- Suitable for limited-slip differentials

SIZES	1 L	18.9 L	205 L	1000 L
75W90	GB75901	GB759018.9	GB7590205	GB75901000
75W140	GB751401	GB7514018.9	GB75140205	GB751401000



# HYDRAULIC OILS

28



## TO-4 MULTIGRADE

### FINAL DRIVES & POWERSHIFT TRANSMISSIONS

SINTO'S TO-4 MULTIGRADE is a multi-season fluid specially designed for the lubrication of final drives, powershift transmissions, wet brakes and hydraulic compartment of equipments requiring Caterpillar® TO-4 or TO-4M fluids and those requiring Allison® C-4 fluids. This product efficiently replaces Cat® TDTO™ or TDTO-TMS™ fluids.

- Excellent low temperature fluidity
- Controlled friction performance, both metallic and non-metallic
- Excellent oxidative stability and sludge control
- Superior shear stability
- Maximum foam protection
- Eliminates clutch slippage
- Extends oil change intervals
- Improved cold weather performance
- Offers a long lasting protection

SIZES	18.9 L	205 L	1000 L
# PRODUCT	MGT018.9	MGT0205	MGT01000

## TRANSHYDRAUL

### SYNTHETIC OIL FOR HYDRAULIC SYSTEM

The TRANSHYDRAUL is specially designed for the hydraulic systems of agricultural equipment and heavy machinery, requiring the use of the same oil for lubricating transmissions, final-drives, power takeoffs with wet clutches, and cooling oil bath disk brakes. This synthetic oil resists to wide temperature differences and keeps its properties for use in all seasons.

- Prevents wear and protects pumps when there are leaks
- Lowers the temperature in the system by more than 10°C and prevents overheating
- Makes it easier to operate in cold weather



SIZES	18.9 L	205 L	1000 L
# PRODUCT	TH18.9	TH205	TH1000

# HYDRAULIC OILS

## SINTOFLO ZF 46

PREMIUM ALL-SEASON ZINC-FREE  
HYDRAULIC OIL

Premium, fully synthetic, zinc-free hydraulic oil with an ultra-high viscosity index, providing smooth cold starts and year-round reliability in mobile and industrial systems.

- Zinc-Free and Ashless Formulation
- Excellent Foam control and Demulsibility
- Shear-Stable
- Superior wear and oxidation protection
- Meets JCMAS HK specifications
- Compatible with (KAWASAKI/KPM, KYB, NACHI) pumps
- Protects Copper alloys and Silver components
- Extended service life (up to 12,000hrs)

SIZES	18.9L	205L
# PRODUCT	SFLO46189	SFLO46205

**NEW**



## MULTIGRADE SH

SYNTHETIC OIL FOR  
HYDRAULIC SYSTEM



**ANTIFRICTION**

The MULTIGRADE SH synthetic oil for hydraulic system is specially designed for mobile or stationary equipment operating under severe conditions over a wide temperature range. This synthetic oil has excellent thermal stability and superior shear strength.

- Excellent cold temperatures flow performances
- With SINTO's antifriction technology
- Superior protection against oxidation, rust and corrosion
- Excellent water separation
- Excellent antifoam properties

SIZES	18.9 L	205 L	1000 L
# PRODUCT	MGSH18.9	MGSH205	MGSH1000

# HYDRAULIC OILS

30



## BIOSHIELD 46 XT

FULL SYNTHETIC FIRE-RESISTANT  
HFD-U HYDRAULIC FLUID

Ultimate solution for fire-resistant lubrication, tailored specifically for the challenging conditions of underground mining for applications such as pumping systems, boring and extraction machinery, and mining roof support systems. It's the optimal option for replacing standard hydraulic oil in applications with low leak rates prone to fire hazards due to high-temperature processes. It can also be used in environmentally sensitive hydraulic applications without compromising the overall performance of the hydraulic system.

- Best-in-class oxidation stability
- Superior shear stability
- Outstanding seal compatibility
- Dielectric (30 kV)
- Biodegradable (86.5%)

SIZES	18.9L	205L
# PRODUCT	BSXTS189	BSXTS205



## ROCK DRILL

HIGH-PERFORMANCE BIODEGRADABLE OIL

- Specially designed to lubricate and cool pneumatic drill mechanisms
- Biodegradable
- Excellent adhesion properties
- Long-term protection against rust and corrosion
- Withstands extreme load and temperature conditions
- Compatible with seals
- Non-corrosive to yellow metals
- Minimizes sludge, varnish, and carbon deposit formation

SIZES	18.9 L	1000 L
# PRODUCT	ROCKDRILL18.9	ROCKDRILL1000L



**NEW**



## BIOTOPE HCP 32 / 46

BIODEGRADABLE AND FULLY SYNTHETIC FLUID

- Biodegradable by more than 60%
- Excellent compatibility with mineral and synthetic oils (PAO, SHC, and ester)
- Superior anti-wear protection
- Excellent thermal and oxidative stability
- Performs very well in humid environments
- Very high viscosity index (minimally affected by temperature variations)
- Keeps components clean
- Very good cold-weather performance
- Excellent foam resistance

SIZES	18.9 L	205L
BIOTOPE HCP 32	HCP32189	HCP32205
BIOTOPE HCP 46	HCP46189	HCP46205

**NEW**



## BIOTOPE ULTRA 32 / 46 / 68

ELITE-GRADE 100% SYNTHETIC BIODEGRADABLE LUBRICANTS

- Hybrid TwinCore-Bio base oil architecture
- Improves energy efficiency and helps reduce operating costs
- Unmatched service life
- More than 80% biodegradable
- Superior lubricity and anti-wear protection
- Excellent thermal and oxidative stability
- Exceptional hydrolytic stability
- Intrinsic cleaning properties
- Excellent low-temperature performance
- Outstanding foam resistance

SIZES	18.9 L	205L
BIOTOPE ULTRA 32	ULTRA32189	ULTRA32205
BIOTOPE ULTRA 46	ULTRA46189	ULTRA46205
BIOTOPE ULTRA 68	ULTRA68189	ULTRA68205

**NEW**



## CONTIBELT XP

**HIGH-TEMPERATURE LUBRICANT FOR ROLLER BARS AND METAL CONVEYOR BELTS IN PANEL PRESSES**

Contibelt XP is the ideal product for lubricating roller bars, heat transfer plates, and metal belts found in continuous presses used in the production of wood panels (MDF, HDF, OSB, and particleboard). Its advanced formulation keeps mechanical components clean and helps eliminate residues and contaminants.

- **Anti-wear and extreme pressure protection**
- **Excellent thermal stability up to 260°C**
- **Very low deposit and smoke formation**
- **Very high viscosity index**
- **Extends the lifespan of mechanical components and reduces unplanned production downtime**
- **Reduces residue buildup and continuously cleans for clean and efficient operation.**

SIZES	205 L	1000 L
# PRODUCT	CBELT205	CBELT1000

## CONTICHAIN XT

**HIGH-TEMPERATURE LUBRICATING OIL FOR CHAINS**

Contichain XT is the ideal product for lubricating traction chains and roller bar rods used in continuous presses in the wood panel manufacturing industry (MDF, HDF, OSB, and particleboard). Its advanced formulation keeps chains clean and removes residues and contaminants.

- **Ideal for Siempelkamp, Dieffenbacher and Küster panel presses**
- **Anti-wear and extreme pressure protection**
- **Excellent resistance to high temperatures**
- **Very low deposit formation**
- **Optimal adhesion**
- **Cleaning and detergent properties that remove and resolubilize gummy residues caused by resins and contaminants**

SIZES	205 L	1000 L
# PRODUCT	CCHAIN205	CCHAIN1000



**NEW**

# SPECIALTY OILS

## DIAMOND CPO 46 / HV

FULLY SYNTHETIC SPECIALTY LUBRICANTS FOR COMPRESSORS AND PUMPS SUBJECTED TO HEAVY-DUTY SERVICES

Versatile, DIAMOND CPO-46 covers a wide range of industrial uses. Ideal for screw compressors operating in severe service (very high discharge temperatures), it is also suitable for centrifugal and vane compressors, as well as for submersible or hydraulic pumps working under high mechanical and thermal stress.

The DIAMOND CPO-HV can replace ISO 68, ISO 100, and SAE 30 grades in reciprocating (piston) compressors, vacuum pumps, or gearboxes when a very high-performance, highly stable oil is required.

- 100% synthetic formulation, NSF H-1 registered
- Unmatched oxidation resistance
- Exceptional wear protection
- Intrinsic detergency = absolute residue control
- Oil drain intervals exceeding 12,000 hours

**NEW**



SIZES	4 L	18.9 L	205 L
DIAMOND CPO 46	DIACPO464	DIACPO4618.9	DIACPO46205
DIAMOND CPO HV	DIACPOHV4	DIACPOHV18.9	DIACPOHV205

## DIAMOND OCL 220

HIGH-PERFORMANCE CHAIN OIL FOR EXTREME TEMPERATURES



Specifically designed for industrial bakery oven chains, Diamond OCL 220 provides long-lasting lubrication without forming deposits or varnish, thereby extending chain life and reducing maintenance requirements. Its wear protection and resistance to evaporation significantly lower oil. Versatile, it is also suitable for many other industrial applications where chains and conveyors are exposed to extreme temperatures.

- Withstands extreme temperatures (up to 300°C)
- Very low evaporation = Reduced consumption
- NSF H1 certified (ideal for the food industry)
- Exceptional anti-wear protection
- Prevents chain elongation
- Keeps chains clean, leaving no residue
- Significantly reduces maintenance costs

SIZES	18.9L	205L
# PRODUCT	OCL220189	OCL220205



## GCA-68

INDUSTRIAL LUBRICANT

GCA-68 is a fully transparent tacky oil formulated to lubricate slides, chains, railroad switches or any other applications where a lubricant with high adherence properties is needed.

- Resists oxidation
- Long-lasting lubrication
- Reduces maintenance costs

SIZES	4 L	18.9L	205L
# PRODUCT	GCA684	GCA6820	GCA68205



## BLOCK AID

LUBRICANT BARRIER AGAINST AIRBORNE POLLUTANTS

- Anti-dust
- Contains anti-wear properties
- Antistatic properties
- Excellent resistance to water washout
- Forms a barrier between parts and airborne pollutants
- Prevents premature wear of gears and wheel bearings
- Dielectric rigidity

SIZE	1 L
# PRODUCT	BLOCK1L

# SPECIALTY OILS

## ATF

### MULTI-VEHICLE AUTOMATIC TRANSMISSION FLUID

Sinto's ATF is a premium multi-vehicle synthetic blend automatic transmission fluid designed to provide exceptional severe duty operating performance.

- Multi-vehicle
- Superior thermal and oxidation stability
- Exceptional low temperature fluidity
- Prevents formation of gum and varnish throughout the system
- Eliminates the need to stocks numerous ATF's
- Wide operating temperature range
- Eliminates slippage and shudder
- Extends integrity and operational life of critical components



SIZES	946 ML	18.9L	205L
# PRODUCT	ATF1	ATF189	ATF205



## CD-50

### MANUAL TRANSMISSION NON-EP

Sinto's CD-50 is a premium quality SAE 50 long drain full synthetic oil designed for use in manual transmissions where non-EP gear oils are specified. Typical applications include on-highway trucks, commercial vehicles and buses as well as off-highway heavy equipment used in the forestry, construction and mining industries.

- Wide operating temperature range
- Excellent cold temperature performance
- Outstanding durability

SIZE	18.9 L
# PRODUCT	CD50S18.9

## HD5W40 / HD10W30 HD15W40 CK-4

CK-4 SYNTHETIC HD DIESEL MOTOR OIL

36

SINTO'S SYNTHETIC HD DIESEL ENGINE OILS outperform the toughest performance requirements on the market. Their unique formula including CALCIUMTECH technology and ANTIFRICTION SINTO ensures the motor maximum performance while the FUEL EFFICIENCY technology offers greater energy efficiency.

- Exceptional engine protection
- Facilitates startup of the engine in cold weather
- Extends the frequency of oil changes
- Maximize fuel economy



SIZES	4 L	18.9 L	205 L	1000 L
HD 5W40	HD5W40S4	HD5W40S18.9	HD5W40S205	HD5W40S1000
HD 10W30	HD10W30S4	HD10W30S18.9	HD10W30S205	HD10W30S1000
HD 15W40	HD15W40S4	HD15W40S18.9	HD15W40S205	HD15W40S1000



## HD5W30 FA-4

FA-4 SYNTHETIC HD DIESEL MOTOR OIL

This low viscosity oil is specially formulated to maximize fuel economy without sacrificing protection for the engine, catalysts and particulate filters. This advanced formula based on synthetic oil and high-performance additives offers excellent fluidity at low temperatures and increased resistance to breakdown at high temperatures.

- Outstanding engine wear protection
- Unsurpassed control of soot related viscosity thickening
- Superior protection from deposits build-up
- Excellent low temperature fluidity
- Helps protect emission control systems (DOC, EGR, DPF, SCR)

**FUEL EFFICIENCY**

SIZES	4 L	18.9 L	205 L	1000 L
# PRODUCT	HD5W30S4	HD5W30S18.9	HD5W30S205	HD5W30S1000

# PASSENGER CAR ENGINE OILS

**NEW**



## GASOLINE ENGINE OIL

0W20 / 5W20 / 5W30 / EURO

SYNTHETIC MOTOR OIL

The unique formula of synthetic oil provides exceptional engine lubrication and performance.

- Outstanding wear protection (SINTO's antifriktion)
- Helps eliminate motor noise
- Provides longer engine life
- Superior protection from piston, turbocharger and high temperature deposits build-up
- 10,000 miles guaranteed



SIZES	946 ML	55 L	205 L
0W16	HME0W16S1	HME0W16S55	HME0W16S205
0W20	HME0W20S1	HME0W20S55	HME0W20S205
5W20	HME5W20S1	HME5W20S55	HME5W20S205
5W30	HME5W30S1	HME5W30S55	HME5W30S205
EURO	EURO5W30S1	EURO5W30S55	EURO5W30S205

# 2 STROKE OILS



## ENDURO

2 STROKE  
SYNTHETIC OIL

Composed of premium base oil and additives, SINTO's Enduro 2-stroke oil reduces engine wear, clog up, and carbon deposits.

- Prevents gumming
- Protect against wear
- Reduce smoke and odor

SIZES	946 ml	4 L	205 L
# PRODUCT	IE1	IE4	IE205

## PERFORMA

### 2 STROKE SYNTHETIC OIL

The Performa synthetic oil provides maximum performance and protection for 2 stroke engines. The unique formulation maximizes engine performance and effectively controls the accumulation of deposits in the engine and exhaust system.

- High performance
- Low smoke emissions and pleasant grape odor
- High quality synthetic oil
- Ease engine start
- Extends engine life
- Operates in temperatures as low as -45°C
- With Octane 130



SIZES	200 ml	400 ml	946 ml	4 L	8 L	20 L	205 L
# PRODUCT	IP200	IP400	IP1	IP4	IP8	IP20	IP205

# 4 STROKE OILS

40



WINTER

ALL TERRAIN  
3 WHEELS  
MOTORCYCLE



**0W40**

SIZES	# PRODUCT
946 ml	MAX0W40S1
4 L	MAX0W40S4
20 L	MAX0W40S20
205 L	MAX0W40S205



**5W40**

SIZES	# PRODUCT
946 ml VTT	MAX5W40VTTs1
946 ml MOTO 3 ROUES	MAX5W403RS1
4 L VTT	MAX5W40VTTs4
4 L MOTO 3 ROUES	MAX5W403RS4
20 L	MAX5W40S20
205 L	MAX5W40S205

EXTREME  
ALL TERRAIN



**5W50**

SIZES	# PRODUCT
946 ml	MAX5W50S1
4 L	MAX5W50S4
20 L	MAX5W50S20



# FULL SYNTHETIC OILS MAX 4

0W40 / 5W40 / 5W50 / 10W40 / 10W60 / 20W50

## HIGH PERFORMANCE 4 STROKE MOTOR OILS

Sinto's MAX4T is a family of fully synthetic 4-stroke motor oils for powersport vehicles. Its skillful blend of synthetic fluid in conjunction with SINTO's unique additives make it unsurpassed in performance.

- Fully synthetic
- Exceptional thermal stability
- Superior oxidation resistance
- Unequaled wear protection
- Ideal for wet clutches (JASO MA2 approval)



### BIKE



## 10W40

SIZES	# PRODUCT
946 ml	MAX10W40S1
4 L	MAX10W40S4
20 L	MAX10W40S20
205 L	MAX10W40S205
MINERAL	
946 ml	MAX10W40M1
205 L	MAX10W40M205

### HEAVY DUTY



## 10W60

SIZES	# PRODUCT
946 ml	MAX10W60S1
4 L	MAX10W60S4
20 L	MAX10W60S20

### V-TWINS



## 20W50

SIZES	# PRODUCT
946 ml	MAX20W50S1
4 L	MAX20W50S4
20 L	MAX20W50S20
205 L	MAX20W50S205
MINERAL	
946 ml	MAX20W50M1
205 L	MAX20W50M205

CHAINS  
AND GEARS



## CHAINCASE

SINTO'S CHAINCASE is a full synthetic oil specially formulated for maximum performance and optimum protection of snowmobiles enclosed chains and gears.

- Ensures efficient low temperature starting and reduces drag
- Prevents chain from stretching and breaking
- Protects chain and gears against wear
- Reduces maintenance costs

SIZE	500 ml
# PRODUCT	CASE500

TRANSMISSION  
DIFFERENTIALS  
AND GEARCASE



## POWERTRAIN

SINTO'S POWERTRAIN is a full synthetic transmission, differentials, gearcase fluid specially formulated for maximum performance in ATV's and side-by-side vehicles calling for Polaris® Demand Drive Fluid or AGL Gearcase and Transmission Fluid.

- Protects in both cold and hot temperature extremes
- Exceptional thermal stability
- Superior oxidation resistance
- Protects heavily loaded, high torque gears
- Prevents clutch chatter

SIZE	500 ml
# PRODUCT	PWT500

TRANSMISSION AND DIFFERENTIALS



## GEAR SAVER 75W90

SINTO'S GEAR SAVER SAE 75W-90 is a full synthetic extreme pressure (EP) transmission and differential fluid specially formulated for maximum performance in ATV's and side-by-side vehicles to protect heavily loaded and high-torque gears.

- **Exceptional thermal stability**
- **Superior oxidation resistance**

SIZE	500 ml
# PRODUCT	GS75W90500

TRANSMISSION AND DIFFERENTIALS



## GEAR SAVER 75W140

SINTO'S GEAR SAVER SAE 75W-140 is a full synthetic extreme pressure (EP) transmission and differential fluid specially formulated for maximum performance in Can-Am® ATV's and side-by-side vehicles as well as in Ski-Doo® and Lynx® snowmobiles equipped with a synchromesh transmission, to protect heavily loaded and high-torque gears.

- **Exceptional thermal stability**
- **Superior oxidation resistance**

SIZE	500 ml
# PRODUCT	GS75W140500

# OIL TREATMENT

44



**NEW**

## SLUDGE GUARD

CLEANER AND DECONTAMINANT FOR ENGINE AND INDUSTRIAL EQUIPMENT

- Concentrated treatment against varnish and sludge
- Highly effective cleaning
- Restores equipment efficiency
- Operating temperature range: -10°C to 210°C
- Easy to use
- Maintains the anti-wear properties of treated oils
- Possibility of rapid results with higher concentration (15-20%) or preventive action with continuous use (1-3%)



SIZE	4 L
# PRODUCT	SLUDGE4

## HYDRAULIC ANTIFRICTION

The innovative properties of the SINTO's hydraulic antifriction help to reduce friction and wear of the hydraulic system. It prevents oil overheating and facilitates operation at low temperature. The unique formula maintains seals flexible reducing the risk of oil loss and reducing maintenance costs.

- Prevents oil overheating
- Extends the life of pumps
- Smoothens control lever operation
- Removes varnish



SIZES	4 L	20 L
RED	HR4	HR20
AMBER	H4	H20

GEARBOX



GASOLINE ENGINE



TRANSMISSION AND STEERING



## ANTIFRICTION GEARBOX

- Prevents oil overheating
- Contributes to reduce energy consumption
- Protects and reduces wear of metal components

SIZE	4 L	20 L
# PRODUCT	E1	E20

## ANTIFRICTION GASOLINE ENGINE

- Restores power
- Significantly reduces the risk of breakage
- Increases resistance to contaminants and oxidation
- Prevents formation of rust and corrosion

SIZE	350 ml
# PRODUCT	ME350

## ANTIFRICTION TRANSMISSION AND STEERING

- Reduces maintenance costs
- Prevents overheating
- Provides easier shifting and driving
- Maintains seals flexible
- Eases cold weather operation
- Extends integrity and operational life of critical components

SIZE	350 ml
# PRODUCT	TSD350



**DIESEL  
ENGINE**

## ANTIFRICTION DIESEL ENGINE

- Reduces maintenance and operating costs
- Increases resistance to contaminants and oxidation
- Prevents formation of rust and corrosion

SIZES	946 ml	20 L	205 L
# PRODUCT	MD1	MD20	MD205



## DECONTAMINANT

- Cleans and decontaminates any type of oil system
- Prevents wear and abrasion from contaminants
- Prevents mechanical failure

SIZE	350 ml
# PRODUCT	D350



## SEAL RESTORER

- Prevents leaking from external and internal seals
- Dissolves varnish on seals and internal parts
- Reduces maintenance costs

SIZE	350 ml	4 L
# PRODUCT	RJ350	RJ4

# RUSTPROOFING

48



**S1000**  
ANNUAL  
PROTECTION

- Based out of oil and sulfonate calcium wax
- Does not dry out
- Available in blue or black colour

SIZES	4 L	20 L	205 L
BROWN	S1004B	S1020B	S1205B
BLACK	S1004N	S1020N	S1205N



**S3000**  
SEMI-PERMANENT  
PROTECTION  
1 TO 3 YEARS

- Oils, solvents, sulfonate calcium wax and antioxidant additives based formula
- High concentration of wax and anti-corrosion additives
- Can be applied easily and without any fogging effect
- Partially dries out
- Available in amber or black colour

SIZES	4 L	20 L	205 L
BROWN	S3004B	S3020B	S3205B
BLACK	S3004N	S3020N	S3205N

**ALL SINTO RUSTPROOFING SOLUTIONS ARE PRODUCED WITH CALCIUM SULFONATE WAX AND PATENTED ADDITIVES WHICH ALLOW :**



**A BETTER CONTROL OF THE OIL PENETRATION**



**FAST DRYING TO PROVIDE A DURABLE SEMI-FLEXIBLE FINISH THAT DOES NOT DRIP**



**ADVANCED ANTI-CORROSION ADDITIVES THAT FIGHT RUST IMMEDIATELY AND EFFECTIVELY**



**ANTI-FOG ADDITIVES THAT LIMIT THE RELEASE OF PRODUCT PARTICLES IN THE AIR DURING APPLICATION**

## S2000

**SEMI-PERMANENT PROTECTION  
1 TO 2 YEARS**

Sinto's complete range of rustproofing covers the needs of industrial equipment, heavy equipment and automotive vehicles. Our rustproofing products penetrates and neutralizes rust, leaving a durable protection.

- Based out of oil, solvents and sulfonate calcium wax
- Can be applied easily and without any fogging effect
- Partially dries out
- Available in amber or black colour



SIZES	4 L	20 L	205 L
BLACK	S204N	S2020N	S2205N
AMBER	S204A	S2020A	S2205A



## ENVIRO3

- Ecological and respectful of the environment
- Biodegradable vegetable oil, solvents and sulfonate calcium wax
- Can be applied easily and without any fogging effect
- Partially dries out
- Available in green colour

SIZES	20 L	205 L
# PRODUCT	SE3020V	SE3205V

## ECOVOLT

- 100% Eco-friendly, without any volatile organic compound (VOC)
- Vegetable oils, sulfonate calcium wax and antioxidant additives
- Can be applied easily and without any fogging effect
- Ideal for new, used, hybrid or electric vehicles
- Available in green colour

SIZES	20 L	205 L
# PRODUCT	SEVOLT20	SEVOLT205



## BITUME

PERMANENT BITUMEN-BASED RUSTPROOFING

- Superior protection for all metals, vehicles, and equipment
- Exceptional adhesion to metal and won't run or drip
- Long-lasting protection thanks to its resistance to gravel and water
- Dries in 24 hours
- Improves vehicle soundproofing
- Remains flexible even at low temperatures

SIZES	20 L	205 L
# PRODUCT	SB20	SB205

**NEW**



## RUST DEFENSE

LONG-LASTING RUSTPROOFING

- Long-lasting rustproofing that provides superior protection for all metals, vehicles, and equipment
- Excellent adhesion to metal and does not drip
- Penetrates metal and hidden surfaces
- Salt-resistant and protects even underwater
- Transparent and dries within 1–2 hours
- Fire-resistant after application
- Excellent stability under temperature fluctuations
- No unpleasant odor after application

SIZES	1 L	18.9 L	205 L
# PRODUCT	RUST1	RUST18.9	RUST205L



## ECO-TOP

WATERPROOFER

- Excellent adhesion to metals
- Excellent resistance to fresh and salt water
- Dries quickly
- Clear and transparent finish
- No flash point, non-flammable
- Excellent protection against rust and corrosion
- Easy to apply with brush or spray

FORMATS	1 L	205 L
NO PRODUCT	ECOTOP1L	ECOTOP205L



## WINTERGUARD

PROTECTIVE WAX

- Resists to soap
- Removed easily with SINTO's DG10 degreaser
- Remains pliable at low temperatures
- Protects all metal types

SIZES	400 gr	4 L	20 L
# PRODUCT	SW400	SW4	SW20



## RUSTPROOFING SPRAY

WAX BASE RUSTPROOFING

- Durable rust protection
- Amber or Black coating
- Robust and soudproofing
- Neutralizes existing rust
- Removes moisture from metal surfaces
- Lubrifiant & penetrant

FORMATS	400 gr
AMBRE	AR400A
NOIR	AR400N

# CLEANERS AND DEGREASERS



## ACTION + INDUSTRIAL SOAP HAND

The SINTO industrial soap hand Action + removes oils, paint, tar, printing ink, glue, carbon marks and scuffs and other stains.

- Contains walnut shells
- 6 distinctive hand lotions
- Powerful and efficient
- Biodegradable

SIZE	3.55 L	
# PRODUCT	ACT36	

## CLEANING WIPES ACTION +

- Neutralizes viruses
- Excellent cleaning power
- Pleasant citrus scent
- Does not dry out the skin
- No rinsing with water necessary

SIZE	70 WIPES	
# PRODUCT	ACT70_LG	

### CLEANING WIPES FOR HANDS AND SURFACES



## DG5

### POWERFUL BIODEGRADABLE INDUSTRIAL DEGREASER

DG5 is a powerful cleaner and degreaser water-based biodegradable. It removes dirt, soot, wax, grease, and oil from any washable surface. Ideal for mobiles equipments, industrial, recreative sectors and home.

- Can be used pure or diluted in water
- Removes dirt
- Pleasant odor
- Multiple use product

SIZES	1L	20 L	205 L
# PRODUCT	DG51	DG520	DG5205



## DG10

### INDUSTRIAL DEGREASER



SINTO'S DG10 is a powerful degreaser specifically formulated for mobile equipments and industrial sectors, electric motors and it's ideal for engine shampoo. It removes accumulated grease, oil, and carbon from any surface or mechanical part.

- Engine shampoo
- Do not freeze
- Non corrosive
- Dielectric

SIZES	400 g	20 L	205 L
# PRODUCT	DG10400	DG1020	DG10205

## DG15

### POWERFUL INDUSTRIAL DEGREASER



SINTO'S DG15 is a powerful degreaser specially developed for part washers, soak tanks and pressure sprayers. It is also suitable for the cleaning of heavy industrial equipments. Easily removes oil, grease, carbon, tar and asphalt deposits.

- Non-flammable
- Free of chlorinated solvent
- Leaves no residue
- Pleasant odor
- Non corrosive
- Resists freezing
- Part washer

SIZES	20 L	205 L
# PRODUCT	DG1520	DG15205





## BC

### BRAKE & PARTS CLEANER

- Does not contain halogenated solvents
- Low odour
- Dries quickly

SIZE	390 g	
# PRODUCT	BC390	

## NFC

### CONTACT AND PARTS CLEANER

- Non flammable
- No flash point
- Dielectric
- Leaves no residues
- Dries quickly and safe to use
- Low toxicity, non carcinogenic

SIZE	340 g
# PRODUCT	NFC340





**GEARED  
FOR  
PERFORMANCE** | F  
O  
R | **35  
YEARS**

[sintoexpert.com](https://sintoexpert.com)

